Krita, Boudewijn Rempt

Krita is a professional FREE and open source painting program. It is made by artists that want to see affordable art tools for everyone.

H 🔔 🕊

•

- concept art
- texture and matte painters
- illustrations and comics

GET KRITA NOW



*







News 🔊

Search

Google Summer of Code 2017: Krita's Students Introduce themselves 5/16/2017

Search for...

The second QDQuest Krita game art course is out! 5/10/2017

Krita 3.1.3 5/1/2017

Krita 2017 Survey Results 4/28/2017

Interview with Marcos Ebrahim 4/10/2017



age address init(); Everyone is permitted to copy and distribute verbatim copies of this setup nr cpu ids(); document, but changing it is not allowed setur mble. The GNU General Public License boot free, copyleft license for software nd other kinds of works. The licenses or most software and other practical alloc init(); works are designed to take away yo freedom to shake and change the By contrast, the GNU General Public intended to guarantse your freedom to share and change all versions to make sure it remains of a pro free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our label init() pplies also to any other SOL jun buf (0 relgaged this way by its authors log WOID pidhash init() it to your programs, too Mbe k of free software, we are sort main extable() to freedom, not price. Our Control Public Licenses are designed to trap init(); that you have the freedom to mm init(); copies of free software (and sched init(); : them if you wish), that you preempt disable() if (WARN(!irgs dis sce cade or can get it if you it it, that you can change "Interrupts software or rue pincas of it in new free local irg disa idr init cache programs, and that you know you can do trace init(): these things To protect your rights, we early irg in need to prevent others from danying you reu init nohz () these rights or asking you to surrender hrtimers init(); the rights. Therefore, you have dertain timekeeping init() responsibilities is you distribute sched clock postinit() the software, or if you modify responsibilities to respect the of others. For aramole, if you ibute copies of such a puegram gratis or for a fee, you must kmem cache init late(); ss on to the recipients the same kernel init freeable(); ms that you received. You must

pr notice ("%s", linux banner) setup arch (& command line) mm init cpumask (&init mm) setup command line (command line) per cpu areas(); cpu state init(); repare boot cpu(); all zonelists (NULL, NULL) pr notice ("Kernel command line: e early param(); after dashes = parse args ("Booting static command line, star stop param - start ., -1, NULL, Sunknown boote if (!IS IRR OR NULL (after dashes) parse args("Setting init args", NULL, set_init_arg); vfs caches init early() printk nmi init(); perf ev profile init(); call function MARN(!irqs disabled(), "Interrup early boot irgs disabled = false; lo



GENERAL PRODUCTS - PLUG-INS KITS & TRAINING RELATED INTERESTS SEARCH

Mischief Drawing Software

🚶 greydog

Jul 7, 2016 - 10:08 PM | Topic in General / Foundry / Foundry & CGI Discussions

1 2 3 4 5 > »

♡+5





Luca Giarrettino

Yes, Also I'm interested to mistery of Mischief development.

 $\heartsuit 0$



Inspiration you capture, assets you create and images you need - always at your fingertips.

Learn more about Creative Cloud →



CHOICE_WIP.kra



Unnamed



maindoc.xml



mimetype



documentinfo.xml



mergedimage.png



preview.png





Commits

O Analyzed about 1 month ago. based on code collected 2 months a

	All Time	12 Month	30 Day
Commits:	43148	2930	68
Contributors:	366	46	9
Files Modified:	37919	6719	200
Lines Added:	23725354	1241987	917
Lines Removed	17844743	1728694	480

Commits per Month

Zoom 1yr 3yr 5yr 10yr All











	Tool	Advanced	d Co	lor	
▼@Layers &					
Normal				V -	
	Opacity	y: 100%		÷	
C 🚥 🛛					
0 🖬 🤉				α 🖬	
0 📼 🛛		(1).jpeg		$\alpha =$	
• 🔜 🤉	Copy of	masha p			
• 🔜 🤉	masha	part1	: ₩		
ت 🚺 🖲	PAPA SI	HUBA	۱	α	
۳ 📼	GIRL)α==	
9 🛛 🤊	SHAPOO	СНКА		α	
S 🚺 🤉	SHAPOO	СНА			
e 🔜 ک	sapogi l	оор		α 🖬	
ত 💓 হ	SAPOGI			α	
ত 🚺 🖸	SHTANY				
ত 🔝 হ	SCHEKI	PAPA			
• - J	SANI			α	
• 🖂 🤊	SHADO	w			
• – J	bg			α	
±×∟	$\sim \sim$	Ħ		Î	
• (a) Anim	ation			₽×	
34		Start:		•	
34		End:	44	5	











C experimentbrush



KDE Bugtracking System – Bug List: krita-bugs									
Home New	v Browse Search	Search	[?]	Reports M	y Requests Preferences	Admini	stration Help Log out bou	ıd@valdyas.org	
Hide Search E	Wed May 17 2017 14:01:20 UTC								
Status: UNCONFIRMED, CONFIRMED, ASSIGNED, REOPENED Component: adjustment layers, Animation, Brush engine, Color models, color selectors, CPU Canvas, Dockers, Documentation, File formats, filters, G'Mic for Krita, general, Instant Preview, Layer Stack, layer styles, OpenGL Canvas, Resource Management, Shortcuts, tablet support, Text Tool, Tile manager, ools, transform, Translation, usability, Vector Objects and Tools Product : krita Severity: critical, grave, major, crash, normal, minor									
327 bugs foun			*****						
<u>ID</u> v	<u>Summary</u>	<u>Vers</u>	<u>Sev</u>	<u>Comp</u>	Assignee	<u>Status</u>	Reporter	<u>os</u>	<u>HW</u>
379832	[HUION H420] tablet cursor offset	3.1.3	gra	tablet s	krita-bugs-null@kde.org	UNCO	Fuyukine	MS Windows	uns
<u>379777</u>	Add shortcuts to the timeline column operations	3.1.3	nor	shortcut	krita-bugs-null@kde.org	UNCO	RN	MS Windows	MS
<u>379765</u>	krita crashes when pressing play animation button	3.1.3	gra	Animatio	krita-bugs-null@kde.org	UNCO	gabivallu	MS Windows	MS
<u>379761</u>	Colours distort when opened anywhere else	unspe	maj	general	krita-bugs-null@kde.org	UNCO	Nonnie	Linux	Oth
<u>379746</u>	Black canvas if more than one Fisheye assist is used whil	3.1.3	nor	Vector O	krita-bugs-null@kde.org	UNCO	John	MS Windows	MS
<u>379731</u>	Touch screen	3.0.1	nor	Brush en	krita-bugs-null@kde.org	UNCO	Allie White	MS Windows	Oth
<u>379730</u>	Krita is leaking username into exported .png files	3.1.3	nor	general	krita-bugs-null@kde.org	UNCO	Kjartan F. Kvamme	MS Windows	MS
<u>379691</u>	Color Sliders (Saturation and Luma) default to 0 when swi	3.1.3	nor	Dockers	krita-bugs-null@kde.org	CONF	Daulat Neupane	Linux	PCL
379667	doesnt show cursor	3.1.3	maj	tablet s	krita-bugs-null@kde.org	UNCO	miguel	MS Windows	MS
<u>379636</u>	Bug with transform a 16 bits layer with wile mode activated	3.1.3	nor	transfor	krita-bugs-null@kde.org	UNCO	Francois Rimasson	MS Windows	MS
<u>379595</u>	Request : option to bring back color selector from 3.0	3.1.3	nor	color se	krita-bugs-null@kde.org	UNCO	caetano	Linux	uns
<u>379576</u>	cmd-+ does not work on mac	3.1.3	nor	shortcut	krita-bugs-null@kde.org	UNCO	der.froedi@gmail.com	Linux	Мас
<u>379564</u>	brush size slider is disabled when switching from smart p	git m	nor	Tools	krita-bugs-null@kde.org	UNCO	Scott Petrovic	Windows CE	Win
<u>379491</u>	Crash.	3.1.3	cra	general	krita-bugs-null@kde.org	UNCO	Psicopompo	Linux	Arc
<u>379463</u>	Advanced Color Picker stops updating after picking a colo	3.1.3	nor	color se	krita-bugs-null@kde.org	UNCO	301993892@etlgr.com	MS Windows	MS
<u>379411</u>	Tool switches to rectangle tool when trying to use pannin	3.1.3	min	Tools	krita-bugs-null@kde.org	UNCO	Andy Statia	Linux	MS
<u>379365</u>	FFMpeg failed to convert	3.1.2	nor	Animatio	krita-bugs-null@kde.org	REOP	umbreonicfox@gmai	MS Windows	MS
<u>379230</u>	Zooming drifts and artifacts.	3.1.3	nor	general	krita-bugs-null@kde.org	UNCO	Bryan McWhirt	OS X	Мас
<u>379201</u>	Onion skins sometimes dont update immediatly on triggerin	3.1.3	nor	Animatio	krita-bugs-null@kde.org	CONF	Bollebib	MS Windows	MS



- 🗶 💽 ପ୍ର

📑 😫 Normal

口

\$.

 $^{\circ}$



Opacity: 1.00 🗘 Size: 100.00 px 🗘 🔨 🔿 🗲



La	Brush Pre	Tool (Tool <u>O</u> pt				
▼ @ Laye	rs		8×				
Normal			7 -				
	Opacity: 100)%	÷				
• 📰 🤉	Layer 3						

Basic_tip_default

∃∗੫∨∧幸 Fit Page 📃 🔳 💡

Î