The upzhkinsoku package*[†]

Yue Zhang

2018-04-07 v0.5

Abstract

This package provides supplementary Chinese kinsoku (line breaking rules etc.) settings for Unicode (ε -)upT_EX¹ and ApT_EX. Both L^AT_EX and plain T_EX are supported.

1 Introduction

Kinsoku is the romanisation of the Japanese word "禁則" which means "prohibition rules". It is a set of rules to avoid prohibited line breaks in CJK typography, such as "line-start prohibition rules", "line-end prohibition rules", inseparable or unbreakable character sequences and so on.²

 $(\varepsilon$ -)upT_EX and ApT_EX's default kinsoku parameters are set in ukinsoku.tex. However, the default settings do not satisfy Chinese typesetting,³ thus this package provides supplementary Chinese kinsoku settings for Unicode (ε -)upT_EX and ApT_FX.

Please note that this package is specifically optimised for Chinese typesetting, so it is usually not suitable for document whose main language is not Chinese.

2 Usage

This package has no options, just load it as usual:

- IATEX: \usepackage{upzhkinsoku}
- Plain T_EX : \input upzhkinsoku.sty

If you are using IAT_EX and would like to change some kinsoku parameters (this is usually unnecessary, however), please do that after \begin{document}, or via \AtBeginDocument after loading this package; otherwise they may be overridden.⁴

^{*}CTAN Homepage: https://ctan.org/pkg/upzhkinsoku

[†]Repository: https://github.com/Man-Ting-Fang/upzhkinsoku

¹(ε -)upTEX when using Unicode as its internal encoding.

²Requirements for Japanese Text Layout: https://www.w3.org/TR/jlreq/

³Requirements for Chinese Text Layout: https://www.w3.org/TR/clreq/

 $^{^4}For$ technical reasons, the actual execution of this package is delayed to **\begin{document}**, also via **\AtBeginDocument**.