1. Grammar symbols: Used cross reference.

Reference of each grammar's symbol used within each rule's productions. The index uses the tripple: rule name, its subrule no, and the symbol's position within the symbol string.

2. Rrule:.

Rrules 1.1 Rrules 2.2

3. Rrule_def:.

Rrule 1.1

4. Rrules:.

Rfirst_set_for_threads 1.1 Rrules 2.1

5. Rsubrule:.

Rsubrules 1.1 Rsubrules 2.2

6. Rsubrule_def:.

Rsubrule 1.1

7. Rsubrules:.

Rrule 1.2 Rsubrules 2.1

8. eog:.

Rfirst_set_for_threads 1.2

9. rule-def:.

 $Rrule_def 1.1$

10. subrule-def:.

Rsubrule_def 1.1

11. Grammar Rules's First Sets.

- 12. $Rfirst_set_for_threads \# in set: 1.$ rule-def
- 13. Rrules # in set: 1. rule-def
- **14.** *Rrule* **# in set: 1.** rule-def
- 15. $Rrule_def \# in set: 1.$ rule-def
- **16.** Rsubrules # in set: 1. subrule-def
- 17. Rsubrule # in set: 1. subrule-def
- 18. Rsubrule_def # in set: 1. subrule-def

19. LR State Network.

List of productions with their derived LR state lists. Their subrule number and symbol string indicates the specific production being derived. The ">" symbol indicates the production's list of derived states from its closured state. Multiple lists within a production indicate 1 of 2 things:

- 1) derived string that could not be merged due to a lr(1) conflict
- 2) partially derived string merged into another derived lr states

A partially derived string is indicated by the "merged into" symbol \(^{\textsup}\) used as a superscript along with the merged into state number.

20. Rfirst_set_for_threads.

- 1 Rrules eog $\triangleright 1 \ 3 \ 4$
- 21. Rrules.
- $\begin{array}{cccc} 1 & Rrule \\ & \triangleright 1 & 12 \\ 2 & Rrules & Rrule \\ & \triangleright 1 & 3 & 5 \end{array}$
- 22. Rrule.
- 1 Rrule_def Rsubrules
 - $\triangleright 1 \quad 6 \quad 8$ $\triangleright 3^{\nearrow 6}$

3

23. Rrule_def.

1 rule-def

 $\triangleright 1 2$

 $\triangleright 3^{\nearrow 2}$

Rsubrules. 24.

1 Rsubrule

⊳ 6 11

2 Rsubrules Rsubrule

⊳ 6 8 9

25. Rsubrule.

1 Rsubrule_def

⊳ 6 10

⊳ 8^{×10}

26. Rsubrule_def.

1 subrule-def

⊳ 6 7

⊳ 8^{×7}

27. List of reducing states.

The following legend indicates the type of reducing state.

Points 2–4 are states that must meet the lr(1) condition:

- 1) r only 1 production reducing 2) $r^2 2$ or more reducing productions
- 3) s/r shift and 1 reducing production 4) s/ r^2 shift and multiple reducing productions

28. Lr1 State's Follow sets and reducing lookahead sets.

Notes on Follow set expressions:

1) The "follow set" for rule uses its literal name and tags its grammar rule rank number as a superscript. Due to space limitations, part of the follow set information uses the rule's literal name while the follow set expressions refers to the rule's rank number. This < rule name, rule rank number > tupple allows you the reader to decifer the expressions. Transitions are represented by $S_x R_z$ whereby $S_x R_z$ whereby $S_x R_z$ is the LR1 state identified by its "x" subscript where other transient calculations occur within the LR1 state network. R indicates the follow set rule with the subscript "z" as its grammar rank number that contributes to the follow set.

The \nearrow^x symbol indicates that a merge into state "x" has taken place. That is, the reduced subrule that depends on this follow set finds its follow set in 2 places: its birthing state that generated the sequence up to the merged into state, and the birthing state that generated the "merged into" state. So the rule's "follow set" calculation must also continue its calculation within the birth state generating the "x merged into" state.

```
State: 1
                   Follow Set contributors, merges, and transitions
\leftarrow Follow set Rule
                                                       follow set symbols contributors
Rfirst_set_for_threads<sup>1</sup>
Local follow set yield:
  eolr.
\leftarrow Follow set Rule
                                                       follow set symbols contributors
{\rm Rrules^2}
                                  R_{2\cdot 2\cdot 1} R_{1\cdot 1\cdot 1}
Local follow set yield:
  eog, rule-def.
\leftarrow Follow set Rule
                                                       follow set symbols contributors
Rrule^3
                                  R_{2\cdot 1\cdot 1} S_1 R_2
Local follow set yield:
\leftarrow Follow set Rule
                                                       follow set symbols contributors
                                  R_{3\cdot 1\cdot 1} \nearrow^3
Rrule_def<sup>4</sup>
Local follow set yield:
  subrule-def.
                   Follow Set contributors, merges, and transitions
\leftarrow Follow set Rule \rightarrow \leftarrow
                                                       follow set symbols contributors
                                 R_{2\cdot 2\cdot 2} \nearrow 1 S_1 R_2
Rrule^3
Local follow set yield:
\leftarrow Follow set Rule
                                                       follow set symbols contributors
Rrule_def<sup>4</sup>
                                 R_{3\cdot 1\cdot 1}
Local follow set yield:
  subrule-def.
State: 6
                   Follow Set contributors, merges, and transitions
                                                       follow set symbols contributors
\leftarrow Follow set Rule
Rsubrules<sup>5</sup>
                                  R_{5 \cdot 2 \cdot 1} R_{3 \cdot 1 \cdot 2} S_3 R_3
Local follow set yield:
  subrule-def.
\leftarrow Follow set Rule
                                                       follow set symbols contributors
Rsubrule<sup>6</sup>
                                 R_{5\cdot 1\cdot 1} S_6 R_5
Local follow set yield:
```

 \leftarrow $R_{6\cdot 1\cdot 1} \nearrow 8 S_6 R_6$ \leftarrow Follow set Rule $\rightarrow \leftarrow$ follow set symbols contributors \rightarrow Rsubrule_def⁷ Local follow set yield:

Follow Set contributors, merges, and transitions \leftarrow Follow set Rule $\rightarrow \leftarrow$ follow set symbols contributors $R_{5\cdot 2\cdot 2} \nearrow^6 S_6 R_5$ Rsubrule⁶ Local follow set yield:

 $\leftarrow \hspace{0.1cm} \texttt{Follow} \hspace{0.1cm} \texttt{set} \hspace{0.1cm} \texttt{Rule} \hspace{0.1cm} \rightarrow \leftarrow \hspace{0.1cm}$ follow set symbols contributors $R_{6\cdot 1\cdot 1} S_8 R_6$ Rsubrule_def⁷ Local follow set yield:

29. Common Follow sets.

30. LA set: 1.

subrule-def.

31. LA set: 2.

eolr.

32. LA set: 3.

eog, rule-def.

33. LA set: 4.

eog, rule-def, subrule-def.

§34 first_set_for_threads_idx.w INDEX

34. Index.

```
R<sub>1</sub> --- Rfirst_set_for_threads: 20.
R<sub>2</sub> --- Rrules: 21.
R<sub>3</sub> --- Rrule: 22.
R<sub>4</sub> --- Rrule_def: 23.
R<sub>5</sub> --- Rsubrules: 24.
R<sub>6</sub> --- Rsubrule: 25.
R<sub>7</sub> --- Rsubrule_def: 26.
Rfirst_set_for_threads: 12.
Rrule: 14.
Rrule_def: 15.
Rrules: 13.
Rsubrule: 17.
Rsubrule_def: 18.
Rsubrules: 16.
```

first_set_for_threads_idx.w

Date: October 30, 2011 at 13:48

File: first_set_for_threads_idx.w

Secti	ion	Page
Grammar symbols: Used cross reference	1	1
Rrule:	2	1
Rrule_def:	3	1
Rrules:	4	1
Rsubrule:	5	1
Rsubrule_def:	6	1
Rsubrules:	7	1
eog:	8	1
rule-def:	9	1
subrule-def:	10	1
Grammar Rules's First Sets	11	2
$Rfirst_set_for_threads \ \# \ in \ set: 1 \dots $	12	2
Rrules # in set: 1	13	2
Rrule # in set: 1	14	2
$Rrule_def \# \text{ in set: } 1 \dots$	15	2
Rsubrules $\#$ in set: 1	16	2
Rsubrule $\#$ in set: 1	17	2
$Rsubrule_def \# in set: 1 \dots$	18	2
LR State Network	19	2
	20	2
Rrules	21	2
Rrule	22	2
Rrule_def	23	3
Rsubrules	24	3
Rsubrule	25	3
Rsubrule_def	26	3
List of reducing states	27	3
	28	4
Common Follow sets	29	6
	30	6
	31	6
	32	6
	33	6
Index	34	7