1. Grammar symbols: Used cross reference.

Reference of each grammar's symbol used within each rule's productions. The index uses the tripple: rule name, its subrule no, and the symbol's position within the symbol string.

2. Rrule:.

Rrules 1.1 Rrules 2.2

3. Rrule_def:.

Rrule 1.1

4. Rrules:.

Rfirst_set_rules 1.1 Rrules 2.1

5. eog:.

Rfirst_set_rules 1.2

6. rule-def:.

 $Rrule_def 1.1$

§7

- 8. Rfirst_set_rules # in set: 1. rule-def
- 9. Rrules # in set: 1. rule-def
- **10.** *Rrule* **# in set: 1.** rule-def
- 11. $Rrule_def \# in set: 1.$ rule-def

12. LR State Network.

List of productions with their derived LR state lists. Their subrule number and symbol string indicates the specific production being derived. The ">" symbol indicates the production's list of derived states from its closured state. Multiple lists within a production indicate 1 of 2 things:

- 1) derived string that could not be merged due to a lr(1) conflict
- 2) partially derived string merged into another derived lr states

A partially derived string is indicated by the "merged into" symbol \(^{7}\)used as a superscript along with the merged into state number.

13. Rfirst_set_rules.

- 14. Rrules.
- 1 Rrule
 - ⊳ 1 7
- 2 Rrules Rrule
 - ⊳ 1 3 5

15. Rrule.

- $1 Rrule_def$
 - ⊳ 1 6
 - $\triangleright 3^{\nearrow 6}$

16. Rrule_def.

- 1 rule-def
 - $\triangleright 1 2$
 - $\triangleright 3^{\nearrow 2}$

17. List of reducing states.

The following legend indicates the type of reducing state.

Points 2–4 are states that must meet the lr(1) condition:

- 1) r only 1 production reducing 2) $r^2 2$ or more reducing productions
- 3) s/r shift and 1 reducing production 4) s/ r^2 shift and multiple reducing productions

 $\subset 2^r \quad 4^r \quad 5^r \quad 6^r \quad 7^r$

18. Lr1 State's Follow sets and reducing lookahead sets.

Notes on Follow set expressions:

1) The "follow set" for rule uses its literal name and tags its grammar rule rank number as a superscript. Due to space limitations, part of the follow set information uses the rule's literal name while the follow set expressions refers to the rule's rank number. This < rule name, rule rank number > tupple allows you the reader to decifer the expressions. Transitions are represented by $S_x R_z$ whereby $S_x R_z$ whereby $S_x R_z$ is the LR1 state identified by its "x" subscript where other transient calculations occur within the LR1 state network. R indicates the follow set rule with the subscript "z" as its grammar rank number that contributes to the follow set.

The \nearrow^x symbol indicates that a merge into state "x" has taken place. That is, the reduced subrule that depends on this follow set finds its follow set in 2 places: its birthing state that generated the sequence up to the merged into state, and the birthing state that generated the "merged into" state. So the rule's "follow set" calculation must also continue its calculation within the birth state generating the "x merged into" state.

State: 1	Follow	Set	contributors, mer	rges, and transitions	
\leftarrow Follow set	Rule	\rightarrow	\leftarrow	follow set symbols contributors —	\rightarrow
Rfirst_set_rules ¹					
Local follow set eolr.	yield:				
\leftarrow Follow set	Rule	\rightarrow	\leftarrow	follow set symbols contributors —	\rightarrow
$Rrules^2$			$R_{1\cdot 1\cdot 1} R_{2\cdot 2\cdot 1}$		
Local follow set eog, rule-def.					
\leftarrow Follow set	Rule	\rightarrow	\leftarrow	follow set symbols contributors —	\rightarrow
$Rrule^3$			$R_{2.1.1} S_1 R_2$	·	
Local follow set					
\leftarrow Follow set	Rule	\rightarrow	(follow set symbols contributors —	\rightarrow
$Rrule_{-}def^{4}$			$R_{3\cdot 1\cdot 1} \nearrow^3 S_1 R_3$	·	
Local follow set					
State: 3	Follow	Set	contributors, mer	eges, and transitions	
				follow set symbols contributors —	\rightarrow
			$R_{2\cdot 2\cdot 2} \nearrow_1 S_1 R_2$,	
Local follow set			-2 2 2 1 -2		
\leftarrow Follow set	Rule	\rightarrow	←	follow set symbols contributors —	\rightarrow
Rrule_def ⁴			$R_{3\cdot 1\cdot 1} S_3 R_3$,	
Local follow set			311 0 0		

 $\S19$ first_set_rules_idx.w COMMON FOLLOW SETS 5

- 19. Common Follow sets.
- 20. LA set: 1.

eog, rule-def.

21. LA set: 2.

eolr.

6 INDEX first_set_rules_idx.w $\S 22$

22. Index.

```
\begin{array}{llll} & R_1 & --- & Rfirst\_set\_rules: & 13. \\ & R_2 & --- & Rrules: & 14. \\ & R_3 & --- & Rrule: & 15. \\ & R_4 & --- & Rrule\_def: & 16. \\ & Rfirst\_set\_rules: & 8. \\ & Rrule: & 10. \\ & Rrule\_def: & 11. \\ & Rrules: & 9. \\ \end{array}
```

first_set_rules_idx.w

Date: January 14, 2015 at 15:38

File: first_set_rules_idx.w

	Section	Page
Grammar symbols: Used cross reference	1	1
Rrule:		1
Rrule_def:		1
Rrules:		1
eog:	5	1
rule-def:	6	1
Grammar Rules's First Sets	7	2
$Rfirst_set_rules \# in set: 1 \dots \dots \dots \dots \dots \dots$		2
<i>Rrules</i> # in set: 1		2
$Rrule \ \# \ in \ set: 1 \dots $		2
Rrule_def # in set: 1		2
LR State Network		2
Rfirst_set_rules	13	2
Rrules		2
Rrule	15	2
Rrule_def	16	2
List of reducing states	17	3
Lr1 State's Follow sets and reducing lookahead sets	18	4
Common Follow sets		5
LA set: 1	20	5
LA set: 2	21	5
Index	99	6