1. Grammar symbols: Used cross reference.

Reference of each grammar's symbol used within each rule's productions. The index uses the tripple: rule name, its subrule no, and the symbol's position within the symbol string.

2. RA:.

 $\mathrm{RS}\ 1.3\ \mathrm{RS}\ 4.1\ \mathrm{RD}\ 1.2$

3. RB:.

 $\mathrm{RS}\ 2.3\ \mathrm{RS}\ 5.1\ \mathrm{RD}\ 2.2$

4. RD:.

RS 3.2 RD 3.3

5. RE:.

RS 1.4

6. RS:.

Rlr1_sp5 1.1

7. ϵ :.

RE 1.1

8. a:.

 $RS \ 1.1 \ RS \ 2.1 \ RS \ 3.1 \ RD \ 3.2$

9. b:.

RS 1.2 RS 2.2

10. d:.

RA 1.1 RB 1.1

11. eog:.

Rlr1_sp5 1.2

12. f:.

 ${\rm RD}\ 1.1\ {\rm RD}\ 2.1\ {\rm RD}\ 3.1$

13. x:.

 $\mathrm{RS}\ 2.4\ \mathrm{RS}\ 5.2\ \mathrm{RD}\ 2.3$

14. z:.

RS 4.2 RE 2.1

2

15. Grammar Rules's First Sets.

```
Rlr1\_sp5 \# in set: 2.
16.
a d
17.
      RS \# in set: 2.
a d
18.
      RA \# in set: 1.
d
19.
      RB \# in set: 1.
d
20.
      RD \# in set: 1.
21.
      RE^{\epsilon} \# in set: 1.
```

22. LR State Network.

List of productions with their derived LR state lists. Their subrule number and symbol string indicates the specific production being derived. The ">" symbol indicates the production's list of derived states from its closured state. Multiple lists within a production indicate 1 of 2 things:

- 1) derived string that could not be merged due to a lr(1) conflict
- 2) partially derived string merged into another derived lr states

A partially derived string is indicated by the "merged into" symbol \nearrow used as a superscript along with the merged into state number.

23. Rlr1_sp5.

```
\begin{array}{cccc} 1 & RS & eog \\ & \triangleright 1 & 17 & 18 \end{array}
```

24. RS.

§25 LR1_sp5_idx.w

3

RA

25. RA.

1 d

> 1 4

 $\triangleright 10^{\nearrow 4}$

26. RB.

1 d

 $\triangleright 1 4$

 $\triangleright 3^{\nearrow 4}$

 $\triangleright 10^{\nearrow 4}$

27. RD.

1 f RA

⊳ 2 10 13

 $\triangleright 11^{\nearrow 10}$

2 f RB x

▶ 2 10 14 15

▷ 11^{>10}

3 f a RD

⊳ 2 10 11 12

D 11^{≯10}

28. RE.

 1ϵ

⊳ 5

2 z

⊳ 5 6

29. List of reducing states.

The following legend indicates the type of reducing state.

Points 2–4 are states that must meet the lr(1) condition:

- 1) r only 1 production reducing
- 2) $r^2 2$ or more reducing productions
- 3) s/r shift and 1 reducing production
- 4) s/r^2 shift and multiple reducing productions

 $\subset 4^{r^2} \quad 5^{s/r} \quad 6^r \quad 7^r \quad 9^r \quad 12^r \quad 13^r \quad 15^r \quad 16^r \quad 18^r \quad 20^r \quad 22^r \quad 13^r \quad 16^r \quad 18^r \quad 20^r \quad 22^r \quad 22$

Lr1 State's Follow sets and reducing lookahead sets.

Notes on Follow set expressions:

1) The "follow set" for rule uses its literal name and tags its grammar rule rank number as a superscript. Due to space limitations, part of the follow set information uses the rule's literal name while the follow set expressions refers to the rule's rank number. This < rule name, rule rank number > tupple allows you the reader to decifer the expressions. Transitions are represented by S_xR_z whereby S is the LR1 state identified by its "x" subscript where other transient calculations occur within the LR1 state network. R indicates the follow set rule with the subscript "z" as its grammar rank number that contributes to the follow set.

The $\nearrow x$ symbol indicates that a merge into state "x" has taken place. That is, the reduced subrule that depends on this follow set finds its follow set in 2 places: its birthing state that generated the sequence up to the merged into state, and the birthing state that generated the "merged into" state. So the rule's "follow set" calculation must also continue its calculation within the birth state generating the "x merged into" state.

State: 1	ronow	set	contributors, mer	ges, and transitions	S	
\leftarrow Follow set $\mathrm{Rlr}1_\mathrm{sp}5^1$	Rule	\rightarrow	\leftarrow	follow set symbo	ls contributors	\rightarrow
Local follow set eolr.	yield:					
\leftarrow Follow set RS^2	Rule		\leftarrow $R_{1\cdot 1\cdot 1}$	follow set symbo	ls contributors	\rightarrow
Local follow set eog.	yield:					
\leftarrow Follow set RA^3	Rule		\leftarrow $R_{2\cdot 4\cdot 1}$	follow set symbo	ls contributors	\rightarrow
Local follow set z.						
\leftarrow Follow set RB^4			\leftarrow $R_{2\cdot 5\cdot 1}$	follow set symbo	ls contributors	\rightarrow
Local follow set x.	yield:					
				ges, and transitions		
RD^5			$\leftarrow \\ \mathbf{R}_{2\cdot 3\cdot 2} \nearrow_{11} \mathbf{S}_1 R_2$	follow set symbo	ls contributors	\rightarrow
Local follow set	yieia:					
				ges, and transitions		
RA^3		\rightarrow	$\leftarrow \atop R_{2\cdot 1\cdot 3} R_{2\cdot 1\cdot 4} \nearrow_1$	follow set symbo $^{\prime}$	ls contributors	\rightarrow
Local follow set z.	, and the second					
\leftarrow Follow set RB^4 Local follow set	Rule	\rightarrow	$ \begin{array}{c} \leftarrow \\ R_2 \cdot_2 \cdot_3 \nearrow^1 \nearrow^{10} \end{array} $	follow set symbo	ls contributors	\rightarrow
X.	j ioia.					
				ges, and transitions		
← Follow co+	Rulla	→ .	_	follow set symbo	la contributora	

 RE^6 $R_{2\cdot 1\cdot 4} S_1 R_2$

Local follow set yield:

State: 10 Follow Set contributors, merges, and transitions

 \leftarrow Follow set Rule $\rightarrow \leftarrow$ follow set symbols contributors -

 RA^3 $R_{5\cdot 1\cdot 2} S_2 R_5$

Local follow set yield:

 \leftarrow Follow set Rule \rightarrow \leftarrow follow set symbols contributors \rightarrow

 RB^4 $R_{5\cdot 2\cdot 2}$

Local follow set yield:

х.

State: 11 Follow Set contributors, merges, and transitions

 \leftarrow Follow set Rule $ightarrow \leftarrow$ follow set symbols contributors

 RD^5 $R_{5\cdot 3\cdot 3} S_2 R_5$

Local follow set yield:

- 31. Common Follow sets.
- 32. LA set: 1.

eog, z.

33. LA set: 2.

x.

34. LA set: 3.

eog.

35. LA set: 4.

eolr.

 $\S 36$ LR1_sp5_idx.w INDEX 7

36. Index.

$LR1_sp5_idx.w$

Date: September 16, 2014 at 15:00

File: LR1_sp5_idx.w

Sect	ion	Page
Grammar symbols: Used cross reference	. 1	1
RA:		1
RB:	. 3	1
RD:	. 4	1
RE:	. 5	1
RS:	. 6	1
ϵ :	. 7	1
a:	. 8	1
b:	. 9	1
d:	10	1
eog:	11	1
f:	12	1
X:	13	1
Z:	14	1
Grammar Rules's First Sets	15	2
$Rlr1_sp5 \# \text{ in set: } 2 \dots$	16	2
RS # in set: 2	17	2
RA # in set: 1	18	2
RB # in set: 1	19	2
RD # in set: 1	20	2
$\mathtt{RE}^{\epsilon} \# \text{ in set: } 1 \dots \dots$	21	2
LR State Network	22	2
Rlr1_sp5	23	2
RS	24	2
RA	25	3
RB	26	3
RD	27	3
RE	28	3
List of reducing states	29	3
Lr1 State's Follow sets and reducing lookahead sets	30	4
Common Follow sets	31	6
LA set: 1	32	6
LA set: 2	33	6
LA set: 3	34	6
LA set: 4	35	6
Index	36	7